

KERRO*Where Precision is Obsession!*

Weighing Scales, Balances & Accessories..

Research, Analysis & Analytical & Industrial weighing

PRICE LIST

2022-23

**APPROVED**

Quick Guide

Accuracy	Refer
0.1gm	P1B, P1D, P4
0.01gm	P3, P3B, P5, P6, P5C
0.001gm	P5B, P5C, P6B, P6C, P6D
0.0001gm	P7B, P7B-DS
Moisture Balance	MBL

KERRO DIGITAL WEIGHING BALANCE PRICE LIST 2022-23

	Series P1B	Series P1D	Series P3	Series P3B
	 <i>Also available in round windsheild</i>			
Parameters	3kg/0.1g	2kg/0.1g	600g/0.01g	600g/0.01g
Platform Size:	108x108mm	145X145mm	Φ105mm	Φ105mm
Display:	LCD Display	LCD Display	LCD Display	LCD Display
Unit:	g/oz/ct/dwt/tl/gn	g/oz/lb/kg	g/oz/ct/dwt/gn/pcs/tl	g/oz/ct/dwt/gn/pcs/tl/ GSM
Power:	2*AAA Battery or Adapter	2*AAA Battery or Adapter	2*AAA Battery or Adapter	2*AAA Battery or Adapter
Load Cells:	Yes (Taiwan)	Yes	Yes	Yes (Taiwan)
RS-232 Port:	No	No	No	NO
Ext. Display Port:	No	No	No	NO
Back-Light:	Blue	Blue	Blue	Blue
Wind-Shield:	Yes with round pan (only) <i>optional</i>	No	Yes	Yes
Adabter Included	Yes	Optional @ Rs 150.00	Optional @ Rs 150.00	Yes
Calibration:	External	External	External	External
SS Tray	Yes	Optional @ Rs 500.00	Yes	Yes
Warranty	1 Year	1 Year	1 Year	1 Year
Certification:	CE, ISO, ROHS	CE, ISO, ROHS	CE, ISO, ROHS	CE, ISO, ROHS
Order Code	BL-P1B/30002 (3kg/0.1g)	BL-P1D/20001 (2kg/0.1g)	BL-P3/6002 (600g/0.01g)	BL-P3B/6002 (600g/0.01g)
GST	18%	18%	18%	18%
HSN Code	84231000	84231000	84231000	84231000
Price	Rs. 3,800.00	Rs. 1400	Rs. 2,400.00	Rs. 4,500.00
MOQ	10	10	10	10
Qty Per Ctn.	20	40	20	20
Ref:				

SPECIAL OFFER FOR TENDER, EXPORT

KERRO DIGITAL WEIGHING BALANCE PRICE LIST 2022-23

	Series P4	Series P5	Series P5B	Series P5C
KERRO				
Parameters	10kg/0.1g 15kg/0.1g 30kg/0.1g	3.5kg/0.01g 5kg/0.01g	300g/0.001g 500g/0.001g	500g/0.001g
Platform Size:	255×190mm	Φ160mm	Φ90mm	Φ90mm
Display:	LCD Display	LCD Display	LCD Display	LED Display
Unit:	g, ct, oz, lb, *, pcs	g, ct, oz, lb, GN, pcs	g, ct, oz, lb, *, pcs	g, ct, oz, lb, *, pcs
Power:	AC 220V, Rechargeable Battery	AC 220V, Rechargeable Battery	AC 220V, Rechargeable Battery	AC 220V
Load Cells:	Yes (German)	Yes (German)	Yes (German)	Yes (German)
RS-232 Port:	Yes	Yes	Yes	No
Ext. Display Port:	No (Optional)	No (Optional)	Yes	Yes
Back-Light:	White	White	Blue	Blue
Wind-Shield:	No	No	Yes	Yes
Adabter Included	Yes	Yes	Yes	Yes
Calibration:	External	External	External	External
SS Platform	Yes	Yes	Yes	Yes
Warranty	1 Year	1 Year	1 Year	1 Year
Certification:	CE, ISO, ROHS	CE, ISO, ROHS	CE, ISO, ROHS	CE, ISO, ROHS
Order Code	BL-P4/100001 (10kg/0.1g) BL P4/150001 (15kg/0.1g) BL P4/300001 (30kg/0.1g)	BL-P5/35002 (3500g/0.01g) BL-P5/50002 (5000g/0.01g)	BL-P5B/3003 (300g/0.001g) BL-P5B/5003 (500g/0.001g)	BL-P5C/5003 (500g/0.001g)
GST	18%	18%	18%	18%
HSN Code	84231000	84231000	84231000	84231000
Price	Rs. 22,500.00 Rs. 23,000.00 Rs. 24,000.00	Rs. 24,000.00 Rs. 24,500.00	Rs. 22,000.00 Rs. 22,500.00	Rs. 22,500.00

SPECIAL OFFER FOR TENDER, OR EXPORT

KERRO DIGITAL WEIGHING BALANCE PRICE LIST 2022-23

	Series P6	Series P6B	Series P6C	Series P6D
KERRO				
Parameters	1200g/0.01g 2000g/0.01g	300g/0.001g 400g/0.002g 600g/0.002g	2000g/0.01g 3000g/0.01g	500g/0.001g
Platform Size:	Φ130mm	Φ90mm	Φ90mm/130mm	Φ90mm
Display:	LCD Display	LCD Display	LED Display	LED Display
Unit:	g, ct, oz, lb, GN, pcs	g, ct, oz, lb, GN, pcs	g, ct, oz, lb, GN, pcs	g, ct, oz, lb, GN, pcs
Power:	AC 220V, rechargeable battery	AC 220V, rechargeable battery	AC 220V	AC 220V
Load Cells:	Yes (German)	Yes (German)	Yes (Taiwan)	Yes (Taiwan)
RS-232 Port:	Yes	Yes	No	No
Ext. Display Port:	No (Optional)	No (Optional)	No	No
Back-Light:	White	White	No	No
Wind-Shield:	Yes	Yes	Yes	Yes
Adabter Included	Yes	Yes	Yes	Yes
Calibration:	External	External	External	External
SS Tray	Yes	Yes	Yes	Yes
Warranty	1 Year	1 Year	1 Year	1 Year
Certification:	CE, ISO, ROHS	CE, ISO, ROHS	CE, ISO, ROHS	CE, ISO, ROHS
Order Code	BL-P6/120002 (1200g/0.01g) BL-P6/200002 (2000g/0.01g)	BL-P6B/3003 (300g/0.001g) BL P6B/4003-2 (400g/0.002g) BL P6B/6003-2 (600g/0.002g)	BL P6C/20002 (2kg/0.01g) BL P6C/30002 (3kg/0.01g)	BL-P6D/5003 (500g/0.001g)
GST	18%	18%	18%	18%
HSN Code	84231000	84231000	84231000	84231000
Price	Rs. 15,000.00 Rs. 19,000.00	Rs. 16,000.00	Rs. 10,500.00	Rs. 11,500.00
MOQ	1	1	1	1

SPECIAL OFFER FOR TENDER, OR EXPORT

KERRO DIGITAL WEIGHING BALANCE PRICE LIST 2022-23

	Series P7 (EXT)	Series P7 (INT)	MOISTURE Analyser Halogen Technology	Baby Scale
KERRO				
Parameters	220g/0.0001g 320g/0.0001g	320g/0.0001g	120g/0.001g	25kg/1g
Platform Size:	Φ90mm	Φ90mm	Φ90mm	550x300x125mm
Display:	LCD Display	LCD Display	LCD Display	LCD Display
Unit:	g, ct, oz, ozt, %, pcs	g, ct, oz, ozt, %, pcs	g	G/KG/OZ/LB
Power:	AC 220V / 50-60 Hz	AC 220V / 50-60 Hz	AC 220V / 50-60 Hz	2*AAA Battery or Adapter
Load Cells:	EMF	EMF	Yes	Yes (Taiwan)
RS-232 Port:	Yes	Yes	Yes	NO
Ext. Display Port:	Yes	Yes	No	NO
Back-Light:	Blue	Blue	Blue	Blue
Wind-Shield:	Yes	Yes	Yes	No
Adabter Included	Yes	Yes	Yes	Yes
Calibration:	External	Internal	External	External
SS Tray	Yes	Yes	Yes	No
Warranty	1 Year	1 Year	1 Year	1 Year
Certification:	CE, ISO, ROHS	CE, ISO, ROHS	CE, ISO, ROHS	CE, ISO, ROHS
Order Code	BL-P7/2204 (220g/0.0001g) BL-P7/3204 (320g/0.0001g)	BL-P7/3204 INT (320g/0.0001g)	MBL-50 (50g/0.001g) MBL-120 (120g/0.001g)	BL 25000-BS (25kg/1g)
GST	18%	18%	18%	18%
Price	Rs. 59,000.00 Rs. 68,000.00	Rs. 131,050.00	Rs. 88,000.00	Rs. 4,400.00
MOQ	1	1	1	5
Qty Per Ctn.	1	1	1	1
Ref:				

SPECIAL OFFER FOR TENDER, OR EXPORT

KERRO DIGITAL WEIGHING BALANCE PRICE LIST 2022-23

	Series P7 (EXT) Analytical Balance with Density Software	Series P6C (NEW)	Series P5 (NEW)
KERRO			
Parameters	220g/0.0001g	500g/0.001g	BL-P5/650002
Platform Size:	Φ90mm	Φ90mm	200X200mm
Display:	LCD Display	LED Display	LCD
Unit:	g, ct, oz, ozt, %, pcs	g, ct, oz, lb, GN, pcs	g, kg, oz, ct, lb, GN
Power:	AC 220V / 50-60 Hz	AC 220V	AC
Load Cells:	EMF	Yes (Taiwan)	German
RS-232 Port:	Yes	No	Yes
Ext. Display Port:	Yes	No	Na
Back-Light:	Blue	No	Yes
Wind-Shield:	Yes	Yes	NA
Adabter Included	Yes	Yes	Yes
Calibration:	External	External	External
SS Tray	Yes	Yes	Yes
Warranty	1 Year	1 Year	1 Year
Certification:	CE, ISO, ROHS	CE, ISO, ROHS	CE, ISO, ROHS
Optional :	Density Kit (Buy separately)		
Order Code	BL-P7/2204-DS (220g/0.0001g)	BL-P6C/5003 (300g/0.001g)	BL-P5/650002
GST	18%	18%	18%
Price	Rs. 76,000.00	Rs 15,000.00	Rs 32500.00
MOQ	1	1	1
Qty Per Ctn.	1	1	320×210×110mm
Dimension			4 Kgs

KERRO

SPECIAL OFFER FOR TENDER, OR EXPORT

KERRO DIGITAL WEIGHING BALANCE PRICE LIST 2022-23

	Series P2	Series P2B	BL-801	BL-460
KERRO	 Color may vary: Beige or Black			
Parameters	10kg/0.5g 30kg/1g	40kg/1g	50kg/1g	6kg/0.1g
Platform Size:	210x160mm	226x160mm	240x180mm	147x135mm
Display:	LCD Display	LCD Display	LCD Display	LCD Display
Unit:	g, oz, lb, kg	g ct tl lb oz kg	lb, kg, oz	G, oz, Tl, ct, lb, kg
Power:	1.5v×2AA Battery or adapter	1.5v×2AA Battery or adapter	1.5V*2AAA Battery & Adapter	1.5V*2AAA Battery & Adapter
Load Cells:	Taiwan	Taiwan	Taiwan	Taiwan
RS-232 Port:	No	No	No	No
Ext. Display Port:	No	No	No	No
Back-Light:	Blue	Blue	Blue	Blue
Wind-Shield:	No	No	No	No
Adabter Included	Optional Rs 150	Optional Rs 150	Yes	Yes
Calibration:	External	External	External	External
SS Tray	No	No	Yes	Yes
Warranty	1 Year	1 Year	1 Year	1 Year
Certification:	CE, ISO, ROHS	CE, ISO, ROHS	CE, ISO, ROHS	CE, ISO, ROHS
Order Code	BL-P2/10000-2(10kg/0.5g) BL-P2/30000 (30kg/1g)	BL-P2B/40000(40kg/1g)	BL-801 (50kg/1g)	BL-460 (6kg/0.1gm)
GST	18%	18%	18%	18%
Price	Rs. 3600.00 Rs. 3600.00	Rs 3200.00	Rs. 5200.00	Rs 3800.00
MOQ	1	1	1	1
Qty Per Ctn.	20	20	20	20
Dimension	24×22×55 cm	31x28x16 cm	26x18x37 cm	23x17x5 cm
Gross Weight	850gm	1050gm	1450gm	4600gm

SPECIAL OFFER FOR TENDER, EXPORT

KERRO DIGITAL WEIGHING BALANCE PRICE LIST 2022-23

	Compact Scale Mini	Crane scale	Spatula Scale	Luggage Scale
KERRO			 Color may vary: Beige or Black	
Parameters	TS-200 6kg/0.1g	BL-92 1000kg/100g	BL-001 500g/0.1gm	50kg/10gm BL-07
Platform Size:	145x145mm	SS Hook	N.A	Straps
Display:	LCD with Green Light	LED	LCD	LCD Display
Unit:	g / oz. / lb. / kg / CT / tl	lb, kg, N	gm	kg, lb
Power:	1.5v x 2AA battery or Adapter	3 AA	1 x lithium ion Battery	1 x lithium ion Battery
Load Cells:	China	Taiwan	China	Taiwan
RS-232 Port:	NA	NA	N.A	No
Ext. Display Port:	NA	NA	N.A	No
Back-Light:	Yes	NA	N.A	Yes
Wind-Shield:	NA	NA	N.A	No
Adabter Included	No, Optional	Yes	N.A	N.A
Calibration:	External	External	N.A	N.A
SS Tray	NA	NA	N.A	N.A
Warranty	6 Months	1 Year	6 Months	1 Year
Certification:	CE, ISO, ROHS	CE, ISO, ROHS	CE, ISO, ROHS	CE, ISO, ROHS
Order Code	TS-200 6kg/0.1g	BL-92 1000kg/100g	BL-001 500g/0.1gm	BL-07 (50kg/10gm)
GST	18%	18%	18%	18%
Price	Rs. 1200	Rs. 13500	1350.00	Rs. 950.00
MOQ	1	1	1	10
Qty Per Ctn.	1	1	20	100
Dimension	250x130x60mm	250x130x60mm	240x220x550mm	130x41x30mm
Gross Weight	850 gms	1.3 Kgs	850 gms	50 gms
Ref:				

SPECIAL OFFER FOR TENDER, EXPORT

KERRO DIGITAL WEIGHING BALANCE PRICE LIST 2022-23

Beam Scales



Parameters	KBS-2610	KBS-311
Capacity	2610gm	311 gm
Division	0.1gm	0.01gm
Front Rod	10×0.1g	1×0.01g
Middle Rod	500×100g	10×1g
Back Rod	100×10g	100×10g
Pan	150 mm (stainless iron)	100 mm (Stainless Iron)
Warranty	1 Year	1 Year
Certification:	CE, ISO, ROHS	CE, ISO, ROHS
Order Code	BL-KBS-2610	BL-KBS-311
GST	18%	
Price	POR	POR
MOQ	4	4
Qty Per Ctn.	4	4
Dimension	430×100×170 mm	430×100×170 mm
Gross Weight	10 KGS	430×100×170 mm
Ref:		

KERRO

KERRO DIGITAL WEIGHING BALANCE PRICE LIST 2022-23


	P11 Series	Series P10	Series P10 Heavy Duty	BL-887
KERRO				
Parameters	60kg/5gm	200kg/1gm	1000kg/100gm	200kg/100gm
Platform Size:	325x325mm	400x500mm	1000x1000mm	390x305mm
Display:	LED, Red	LCD	LCD Display	LCD, 104x35mm
Unit:	kgs, gm	kgs, gm	kgs, gms	kg, lb, oz
Battery Backup	> 14 Hrs	> 40 Hrs	AC 220V / 50-60 Hz	1.5v×4AA Battery Adapter
Load Cells:	German	German	Yes	Taiwan
RS-232 Port:	NA	Yes	Yes	NO
Ext. Display Port:	NA	NA	No	NO
Adabter Included	Yes	Yes	Yes	Yes
Other Features:	Over Load Protection	Over Load Protection, RS 232	Over Load Protection	Over Load Protection
Platform Material	Stainless Steel	Stainless Steel	Yes	No
Warranty	1 Year	1 Year	1 Year	1 Year
Certification:	CE, ISO, ROHS	CE, ISO, ROHS	CE, ISO, ROHS	CE, ISO, ROHS
Order Code	BL-P11/60000-5	BL-2003L	BL-P10B/1000L	BL-887 (200kg/100g)
GST	18%	18%	18%	18%
Price	Rs 12500	Rs 32500.00	Rs 38500.00	Rs 9200.00
MOQ	1	1	1	1
Qty Per Ctn.	1	1	1	1
Dimension	35×21×35 cm			39x31x3 cm
Gross Weight	8.5 kg			3.5 kg
Ref:				

KERRO DIGITAL WEIGHING BALANCE PRICE LIST 2022-23

	<table><tr><th colspan="2">Paint Mixing Scale</th></tr><tr><td>Max Capacity</td><td>8kgs</td></tr><tr><td>Readability</td><td>0.1g</td></tr><tr><td>Repeatability</td><td>+0.1g</td></tr><tr><td>Pan Diameter</td><td>240mm</td></tr><tr><td>Pre-heat Time</td><td>20~30 minutes</td></tr><tr><td>Other</td><td>RS232 Port</td></tr><tr><td>PRICE</td><td>Rs. 65,000.00</td></tr></table>	Paint Mixing Scale		Max Capacity	8kgs	Readability	0.1g	Repeatability	+0.1g	Pan Diameter	240mm	Pre-heat Time	20~30 minutes	Other	RS232 Port	PRICE	Rs. 65,000.00		<table><tr><th colspan="2">Jewellery Scale</th></tr><tr><td>50gm/0.001gm</td><td></td></tr><tr><td>Pan: SS, 59mm</td><td></td></tr><tr><td>Modes:g, oz, ozt, dwt, ct, gn</td><td></td></tr><tr><td>Power: 2*AAA Battery</td><td></td></tr><tr><td colspan="2">Jewellery Scale</td></tr><tr><td colspan="2">Excellent Load Cell</td></tr><tr><td colspan="2">Rs. 6,000.00</td></tr></table>	Jewellery Scale		50gm/0.001gm		Pan: SS, 59mm		Modes:g, oz, ozt, dwt, ct, gn		Power: 2*AAA Battery		Jewellery Scale		Excellent Load Cell		Rs. 6,000.00	
Paint Mixing Scale																																			
Max Capacity	8kgs																																		
Readability	0.1g																																		
Repeatability	+0.1g																																		
Pan Diameter	240mm																																		
Pre-heat Time	20~30 minutes																																		
Other	RS232 Port																																		
PRICE	Rs. 65,000.00																																		
Jewellery Scale																																			
50gm/0.001gm																																			
Pan: SS, 59mm																																			
Modes:g, oz, ozt, dwt, ct, gn																																			
Power: 2*AAA Battery																																			
Jewellery Scale																																			
Excellent Load Cell																																			
Rs. 6,000.00																																			
	<table><tr><th colspan="2">GSM Cutter GC-103</th></tr><tr><td>Sample Area</td><td>100cm2</td></tr><tr><td>Sample diameter</td><td>113mm</td></tr><tr><td>Rubber Pad</td><td>120mm</td></tr><tr><td>Cutting depth</td><td>200mm</td></tr><tr><td>Outline dimension</td><td>17*17*13cm</td></tr><tr><td>Application</td><td>wool, cotton, textile, Paper</td></tr><tr><td>PRICE</td><td>Rs. 8,500.00</td></tr></table>	GSM Cutter GC-103		Sample Area	100cm2	Sample diameter	113mm	Rubber Pad	120mm	Cutting depth	200mm	Outline dimension	17*17*13cm	Application	wool, cotton, textile, Paper	PRICE	Rs. 8,500.00		<table><tr><td>50gm/0.001gm</td><td></td></tr><tr><td>Blue Backlight</td><td></td></tr><tr><td>Modes:g, oz, ozt, dwt, ct, gn</td><td></td></tr><tr><td>Power: 2*AAA Battery</td><td></td></tr><tr><td>Overloading protect function</td><td></td></tr><tr><td colspan="2">Jewellery Scale</td></tr><tr><td colspan="2">Excellent Load Cell</td></tr><tr><td colspan="2">Rs. 6,000.00</td></tr></table>	50gm/0.001gm		Blue Backlight		Modes:g, oz, ozt, dwt, ct, gn		Power: 2*AAA Battery		Overloading protect function		Jewellery Scale		Excellent Load Cell		Rs. 6,000.00	
GSM Cutter GC-103																																			
Sample Area	100cm2																																		
Sample diameter	113mm																																		
Rubber Pad	120mm																																		
Cutting depth	200mm																																		
Outline dimension	17*17*13cm																																		
Application	wool, cotton, textile, Paper																																		
PRICE	Rs. 8,500.00																																		
50gm/0.001gm																																			
Blue Backlight																																			
Modes:g, oz, ozt, dwt, ct, gn																																			
Power: 2*AAA Battery																																			
Overloading protect function																																			
Jewellery Scale																																			
Excellent Load Cell																																			
Rs. 6,000.00																																			
	<table><tr><th colspan="2">Calibration Weights</th></tr><tr><td>F2 Class</td><td></td></tr><tr><td>1 mg to 200 gm</td><td></td></tr><tr><td>PRICE</td><td>Rs.19,000.00</td></tr><tr><td>F2 Class</td><td></td></tr><tr><td>1 mg to 500 gm</td><td></td></tr><tr><td>PRICE</td><td>POR</td></tr></table> Also available, E1, E2, E3, F1, F2, M1 Class & Separate Weights	Calibration Weights		F2 Class		1 mg to 200 gm		PRICE	Rs.19,000.00	F2 Class		1 mg to 500 gm		PRICE	POR		<table><tr><td>300gm/0.001gm</td><td></td></tr><tr><td>Green Backlight</td><td></td></tr><tr><td>Modes:g, oz, ozt, dwt, ct, gn</td><td></td></tr><tr><td>Power: 2*AAA Battery</td><td></td></tr><tr><td>Overloading protect function</td><td></td></tr><tr><td colspan="2">Jewellery Scale</td></tr><tr><td colspan="2">Excellent Load Cell</td></tr><tr><td colspan="2">Rs. 5,800.00</td></tr></table>	300gm/0.001gm		Green Backlight		Modes:g, oz, ozt, dwt, ct, gn		Power: 2*AAA Battery		Overloading protect function		Jewellery Scale		Excellent Load Cell		Rs. 5,800.00			
Calibration Weights																																			
F2 Class																																			
1 mg to 200 gm																																			
PRICE	Rs.19,000.00																																		
F2 Class																																			
1 mg to 500 gm																																			
PRICE	POR																																		
300gm/0.001gm																																			
Green Backlight																																			
Modes:g, oz, ozt, dwt, ct, gn																																			
Power: 2*AAA Battery																																			
Overloading protect function																																			
Jewellery Scale																																			
Excellent Load Cell																																			
Rs. 5,800.00																																			
	<table><tr><th colspan="2">Moisture Analyzer Sample PANS</th></tr><tr><td colspan="2">Stainless Steel Pans for Analyzers for optimal use and guaranteed performance. Washable, reusable stainless chrome-nickel steel pans for halogen moisture analyzers</td></tr></table>	Moisture Analyzer Sample PANS		Stainless Steel Pans for Analyzers for optimal use and guaranteed performance. Washable, reusable stainless chrome-nickel steel pans for halogen moisture analyzers			<table><tr><td>500gm/0.001gm</td><td></td></tr><tr><td>Green Backlight</td><td></td></tr><tr><td>Modes:g, oz, ozt, dwt, ct, gn</td><td></td></tr><tr><td>Power: 2*AAA Battery</td><td></td></tr><tr><td>Overloading protect function</td><td></td></tr><tr><td colspan="2">Jewellery Scale</td></tr><tr><td colspan="2">Excellent Load Cell</td></tr><tr><td colspan="2">Rs. 5,800.00</td></tr></table>	500gm/0.001gm		Green Backlight		Modes:g, oz, ozt, dwt, ct, gn		Power: 2*AAA Battery		Overloading protect function		Jewellery Scale		Excellent Load Cell		Rs. 5,800.00													
Moisture Analyzer Sample PANS																																			
Stainless Steel Pans for Analyzers for optimal use and guaranteed performance. Washable, reusable stainless chrome-nickel steel pans for halogen moisture analyzers																																			
500gm/0.001gm																																			
Green Backlight																																			
Modes:g, oz, ozt, dwt, ct, gn																																			
Power: 2*AAA Battery																																			
Overloading protect function																																			
Jewellery Scale																																			
Excellent Load Cell																																			
Rs. 5,800.00																																			
	POR																																		

SPECIAL OFFER FOR TENDER, EXPORT

KERRO DIGITAL WEIGHING BALANCE PRICE LIST 2022-23

	Dust Gaurd Keypad Protection Cover & Dust Cover Available in: Transparent, Opaque White/Blue/Yellow Rs. 1800.00		Solid & Liquid Density Kits Reliability Fast data processing Accurate data processing Universal to connect KERRO & any other brand. Both Solid & Liquid Rs. 16,000.00														
	SS tray for P1D Series Helps to convert a ABS platform to a robust SS Platform. Optional acessory for P1D series POR		Thermal Printer Printing method: direct thermal Printing paper width: 58mm Valid printing width: 48mm Printing density: 8 dots/mm, 384 dots/line RS232 / USB Interface Light weight Rs. 21,000.00														
	<table><tr><th colspan="2">Load Cells</th></tr><tr><td>Material</td><td>Alumnium/Steel Alloy</td></tr><tr><td>Capacity</td><td>2kg/0.1g /600g/0.01g</td></tr><tr><td>PRICE</td><td>Rs 600.00</td></tr><tr><td>Capacity</td><td>300g/0.001g</td></tr><tr><td>Compatibility</td><td>Universal</td></tr><tr><td>PRICE</td><td>Rs.7,200.00</td></tr></table>	Load Cells		Material	Alumnium/Steel Alloy	Capacity	2kg/0.1g /600g/0.01g	PRICE	Rs 600.00	Capacity	300g/0.001g	Compatibility	Universal	PRICE	Rs.7,200.00		Stainless steel scoops are available in a selection of sizes and are ideal for use in food measurement or in counting applications. Rs.850.00
Load Cells																	
Material	Alumnium/Steel Alloy																
Capacity	2kg/0.1g /600g/0.01g																
PRICE	Rs 600.00																
Capacity	300g/0.001g																
Compatibility	Universal																
PRICE	Rs.7,200.00																

SPECIAL OFFER FOR TENDER, EXPORT

KERRO DIGITAL WEIGHING BALANCE PRICE LIST 2022-23

	Remote Display			Touch Screen Display	
	Can be connected via remote display port in KERRO models			Can be connected via remote display port in KERRO models	
	Universal Port			Universal Port	
	LCD Display			LED Display	
	ABS			PRICE computation available	
	PRICE	Rs. 2,800.00		Rs. 4500.00	
	Anti-Vibration Weighing Table & Anti-Vibration Pad			RS 232 Cable	
	Length x width x Height:			The Null to Modem RS-232 interface cable is used to connect the balance or weighing scale to other devices such as the ATP Thermal Printer or simply to a computer.	
	600x600x900				
	Length x width x Height:				
	900x600x900				
	Length x width x Height:				
	1200x600x900				
POR		Rs 4000.00			

	Calibration Weight Box (SS, OIML)		Single SS Weights	
	F2 Class		Denominations	PRICE
	1 mg to 200 gm (23 Pcs)		50gm	Rs.1400.00
	PRICE	Rs 18,500.00	100gm	Rs.1960.00
	F2 Class		200gm	Rs. 2240.00
	1 mg to 500 gm		500gm	Rs. 3360.00
	POR		1000gm	Rs. 7000.00
	<i>Also available, E1, E2, E3, F1, F2, M1 Class & Separate Weights</i>			